

Indassol

FOR SALE

**FOUR VESSEL 30 BARREL MOESCHLE BREWERY WITH
FERMENTATION TANKS, FULLY INTEGRATED CIP AND
GAS FIRED FULTON BOILER.**



Four Vessel 30 Barrel Moeschle Brewery With Fermentation Tanks, Fully integrated CIP and Gas Fired Fulton Boiler.

Location: Leeds

Installed: 2006


FEATURED ITEMS:

- Moeschle Mash Tun, stainless steel, with sparge bar, 1.5" bottom discharge outlet, quadrant lids, 212cm dia x 260cm high from floor (approx) 4800 litre capacity, Serial No: 22999
- Moeschle Copper, stainless steel with spray ball, 3 zone steam jacketed allowing small batches, extract outlet, lifting eyes, 210cm dia x 310cm high to floor (approx), 7100 litre capacity, Serial No: 23000
- Moeschle Hot Liquor Tank, stainless steel, coil for heating, temperature probe, 180cm dia x 325cm high to floor (approx), 6250 litre capacity, Serial No: 22997
- Moeschle Cold Liquor Tank, built in glycol jacket, temperature probe, 180cm dia x 325cm high to floor (approx) 6250 litre capacity, Serial No: 22998
- Moeschle Control System and Platform, comprising PLC control panel, flow plate with 2 rear mounted centrifugal pumps, UK Heat Exchangers 'Type S8AF IT 97 Plate Heat Exchanger (2006) and 8m long gantry (approx) with sink unit
- Moeschle Under Back Tank, stainless steel with inlet, 1.5" bottom discharge valve, 86cm dia (approx), 250 litre capacity, Serial No: 22996
- BM Galvanised Hopper, 125cm x 125cm x 275cm (approx) height to floor with Collinson Rotaflex Spiral Conveyor, 3.5" dia with inverter drive to 390cm high mounted discharge station
- Fulton 'Model 30E' Gas Fired Steam Boiler, Max Continuous output 300Kw, 480 Kg/h steam output, Serial No B7737 (1997) with Fulton 'Type 20/30' Blowdown Separator Rota flex Serial No: BD2529 (1995)
- Water Softening Plant including softener salt storage and stainless steel softened water holding tank 80cm dia x 170cm high (approx)
- CIP Cleaning System comprising 2 X Grundy 184 Gallon Tanks Serial No's: VS30822 & VS29225, centrifugal tank, caustic tank 10 barrel capacity (approx) 135cm length dia x 280cm length (approx) with 3" outlet, CIP Pump & pipework and connection to cleaning hoses



- Moeschle Fermentation Tank, stainless steel, glycol jacketed, temperature probe, spray ball, lifting eyes, top manway, 1.5" discharge outlet, 205cm dia x 290cm high to floor (approx), 7250 litre capacity, Serial No: 23001
- Moeschle Fermentation Tank, stainless steel, glycol jacketed, temperature probe, spray ball, lifting eyes, top manway, 1.5" discharge outlet, 205cm dia x 290cm high to floor (approx) 7250 litre capacity, Serial No: 23003
- Moeschle Fermentation Tank, stainless steel, glycol jacketed, temperature probe, spray ball, lifting eyes, top manway, 1.5" discharge outlet, 205cm dia x 290cm high to floor (approx) 7250 litre capacity, Serial No: 23002
- Moeschle Temperature Control System to fermentation vessels with flow plate, circulation pump and 8m (approx) walkway/work platform with steps
- Barrel Cleaning Station with 2 pumps, control unit and water tank 100cm dia x 170cm high (approx)
- Portable Circulation Pump 2"dia (approx) powered by Inoxpa motor
- Portable Circulation Pump 1.5" dia (approx) powered by Ebara 'JEX/I100le3' .75Kw electric motor (2018)
- Utensil Bath with discharge outlet, 120cm x 75cm x 100cm
- Galvanised Hopper Unit 125cm x 125cm x 325cm height to floor (approx)





Karl Fitzpatrick
kfitzpatrick@indassol.com
+ 447 717 024 669

John Moore
jmoore@indassol.com
+ 44 7771 515 834



Industrial Asset Solutions Limited

Longcroft House, 2-8 Victoria Avenue
Bishopsgate, London EC2M 4NS
United Kingdom

Switchboard: + 44 (0) 20 3206 1208
Email: info@indassol.com

www.indassol.com